Corrected Amend + 4R 116

732-303-0626

RECEIVED CENTRAL FAX CENTER

OCT 0 3 2006

Brodsky & Brodsky

Counselors at Law 2 Bucks Lane (Highway 79) Marlboro, New Jersey 07746

Telephone: 732-431-1333 Facsimile: 732-303-0626

Charles I, Brodsky (N.J. & N.Y Bars)

Martin E. Brodsky Maria N. Weinstein Jersey City Office Telephone: 201-963-1030 Facsimile: 201-963-3001

Newark Office

Telephone: 973-622-3970 Facsimile: 973-622-3971

Facsimile Cover Sheet

To: PE- Robin A. Hyltmi	Facsimile: (-57/-273-8300
From: C. Pordsky	Date: 10[3]06
Reference: 5W 10 810, 744	
Message:	discuss the affected as a
ALL AMPLY CHALLES M.	m/ 02/66 Line - 7
04/4- 122 ns - 7 202 2.	till remaining on this case?
	cesy

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

Applicant:

BERNARD K. SIMCOVITCH

Serial No.:

10/810,544

Filing Date:

March 29, 2004

Title:

SAFE-T CUP LID

Group Art Unit:

3727

Examiner:

Ms. Robin A. Hylton

SECOND CORRECTED AMENDMENT UNDER RULE 116

Hon. Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Sir:

In response to the Advisory Action dated August 1, 2006, please amend the aboveidentified Application as follows:

AMENDMENT TO THE DRAWINGS:

Please replace the existing second page of Drawings with the annexed two pages...

AMENDMENT TO THE SPECIFICATION:

Please substitute the annexed Pages 5-8 for those present in this Application.